

BRERA

WINE LIBRARY

Model: WL6/322P

Code: 6000350

BRERA

REFRIGERATED WINE DISPLAY: 3 pass-through doors with 3 independent temperatures, maximum bottle capacity 384. Technology, design, and high performance to enhance any environment. Made of AISI 304 stainless steel, it allows for optimal preservation of all types of wine by setting the temperature independently in each compartment, +4/+16°C. With a customizable color finish, the full glass doors shine with internal white LED lighting (or warm light upon request).

- made in stainless steel
- 384 bottles
- upper technical compartment
- ventilated cooling system
- digital control
- "white/cold" led light (6000K); on request "warm" led light (2700K)
- automatic defrosting system with heating elements
- automatic
- painted color finishing on request
- led lighting dimmer with remote control
- bottle-handlings
- machine supplied not assembled
- INTERNAL FITTINGS NOT INCLUDED




















Technical Data:


Doors	nr	6
Insulation thickness	mm	50 mm
External dimensions (WxDxH)	cm	247,5 x 55 x 220
Standard lock		YES
Standard light		SI, 6000K (on request 2700K)
Temperature	°C	+4/+16°C
Condensing unit		plug-in unit
Gas		R290
Noise level	dba	<43dba
Ventilation control		NO
Umidity control		NO
Max abs. power	W	1290
Cooling power	W	1470
Input voltage		1x230V ~ 50Hz
Climate class		4

*Ambient temp. +26°C / **Evap. -10°C, cond. +45°C

ACCESSORIES

	K522/01 kit 4 stainless steel shelves (SR5/01) - bottles capacity: no. 128	60000500
	K522/02 kit 3 stainless steel shelves (SR5/01) + 2 stainless steel bottle handling tubes (ST5/02) - bottles capacity: no. 108	60000510
	K522/03 kit 3 stainless steel shelves (SR5/01) + 2 inclined bottle-handlings (SI5/04) - bottles capacity: no. 110	60000520
	K522/04 kit 2 stainless steel shelves (SR5/01) + 4 plexiglass flat bottle-handlings (SC5/03)- bottles capacity: no. 92	60000530
	K522/05 kit 2 stainless steel shelves (SR5/01) + 2 plexiglass flat bottle-handlings (SC5/03) + 2 inclined bottle-handlings (SI5/04)- bottles capacity: no. 92	60000540
	Glass sides for WL6/220 (overprice)	60000750
	Stainless steel shelf unit for inclined bottles for single door WL6 H220 (with glass sides)	60000740
	SR5/01 stainless steel shelf (capacity no. 32 bottles)	60000700
	ST5/02 stainless steel bottle handling tubes (capacity no. 6 bottles)	60000705
	SC5/03 plexiglass flat bottle-handlings (capacity no. 7 bottles)	60000710
	SI5/04 inclined bottle-handling (capacity no. 7 bottles)	60000715
	Color finishing WL6 3-4 doors (overprice)	60000860
	Prearranged version with valve system for each compartment	0
	Condensing unit 1/4 HP for each compartment	40200180
	Condensing unit 1/6 HP for each compartment	40200184
	Wi-Fi supervising system	45000565
	60Hz frequency	40200560

INSTALLATION DIAGRAM



	DESCRIZIONE	SCHEMA INSTALLAZIONE		CODICE	NOTE			
		WL6 / 322		705 0279 00				
	DATA	08.03.2021	SCALA	1:25	DIS.	MARCO P.	NOME FILE	Disegno1
- AI TERMINI DI LEGGE QUESTO DISEGNO E' DI NOSTRA PROPRIETA' E NON PUO' ESSERE USATO O RIPRODOTTO SENZA NOSTRA AUTORIZZAZIONE -								

WL6/322P