

BRERA

WINE DISPLAY

Model: WD5/113

Code: 60001030

BRERA

REFRIGERATED WINE DISPLAY: maximum capacity: no. 80 bottles. Compact and elegant, made from stainless steel with high-density polyurethane insulation, it operates in either ventilated or static mode, successfully maintaining the appropriate serving temperature for different types of wines. Each bottle is enhanced by the full glass door equipped with an anti-fogging device and white LED lighting (or warm lighting upon request).

- made in stainless steel
- 80 bottles
- retractable, on the bottom
- ventilated or static cooling system
- digital control
- "white/cold" led light (6000K); on request "warm" led light (2700K)
- automatic defrosting system by pause
- automatic
- painted color finishing on request
- Max shelves capacity: no. 2 bottle-handlings (WR5/01 or WT5/01)
- bottle-handlings
- INTERNAL FITTINGS NOT INCLUDED












Technical Data:


Doors	nr	1
Insulation thickness	mm	50 mm
External dimensions (WxDxH)	cm	81 x 50 x 135
Standard lock		YES
Standard light		SI, 6000K (on request 2700K)
Temperature	°C	+4/+16°C
Condensing unit		plug-in unit
Gas		R290
Noise level	dba	<43dba
Ventilation control		NO
Umidity control		NO
Max abs. power	W	430
Cooling power	W	185
Input voltage		1x230V ~ 50Hz
Climate class		4
Packaging dimensions	cm	87 x 60 x 150
Volume	mc	0,78
Gross weight	kg	103

*Ambient temp. +26°C / **Evap. -10°C, cond. +45°C

ACCESSORIES

	WRQ5/113 Fixed stainless steel bottle-handling structure made in satin square tubes for WD5/113 (capacity: 40 bottles)	60001135
	WR5/01 Stainless steel shelf (no. 32 bottles) for WD5/	60001100
	WT5/01 Stainless steel horizontal bottle-handlings tubes (no. 24 bottles) for WD5/	60001110
	WPS/5 Stainless steel top cm 81x50x2h	60001150
	Color finishing WD DA SF (overprice)	60002200
	Set of retractable castors WD	60002180
	Condensing unit 1/4 HP for each compartment	40200180
	Prearranged version with valve system for each compartment	0
	Wi-Fi supervising system	45000565
	60Hz frequency	40200560

INSTALLATION DIAGRAM



WD5/113