

BRERA

WINE DISPLAY

Model: WD5/121

Code: 60001040

H 2100

REFRIGERATED WINE DISPLAY: maximum capacity: no. 144 bottles. Compact and elegant, made from stainless steel with high-density polyurethane insulation, it operates in either ventilated or static mode, successfully maintaining the appropriate serving temperature for different types of wines. Each bottle is enhanced by the full glass door equipped with an anti-fogging device and white LED lighting (or warm lighting upon request).



- Construction: made in stainless steel
- Internal capacity: 144 bottles
- Position of technical compartment: retractable, on the bottom
- Refrigeration type: ventilated or static cooling system
- Control board panel: 2.8" touch control panel, digital display
- "White/cold" led light (6000K); on request "Warm" led light (2700K)
- Defrosting system: automatic by pause
- Evaporation of condensation water: automatic
- Max shelves capacity: no. 4 bottle-handlings(WR5/01 or WT5/01)
- Optional equipment: painted color finishing on request
- Not included: bottle-handlings




Technical Data:


Doors	nr	1
External dimensions (WxDxH)	cm	81 x 50 x 210
Insulation thickness	mm	50
Standard lock		YES
Standard light		SI, 6000K (on request 2700K)
Temperature	°C	+4/+16°C
Condensing unit		plug-in unit
Gas		R290
Noise level	dba	<43dba
Ventilation control		NO
Humidity control		NO
Max abs. power	W	515*
Cooling power	W	305*
Input voltage		1x230V ~ 50Hz
Climate class		4
Packaging dimensions (WxDxH)	cm	59 x 92 x 226
Volume (gross)	mc	1,23
Net weight	kg	134
Gross weight	kg	154

*Ambient temp. +26°C / Evap. -10°C, cond. +45°C

DETAILS:



Stainless steel shelf (no.32 bottles for WD5, no.48 for WD7)



Stainless steel horizontal bottle-handling tubes (no.24 bottles) for WD5



Color finishing (on request)



Handle detail



Digital touch display




Ecological gas (R290)




Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

ACCESSORIES:




WRQ5/121 Fixed stainless steel bottle-handling structure made in satin square tubes for WD5/121 (capacity: 72 bottles)

60001140



WR5/01 Stainless steel shelf (no. 32 bottles) for WD5/

60001100



WT5/01 Stainless steel horizontal bottle-handlings tubes (no. 24 bottles) for WD5/

60001110



WPS/5 Stainless steel top cm 81x50x2h

60001150



Color finishing WD DA SF (overprice)

60002200



Dimmer regolazione luci WD

60002190

Set of retractable castors WD

60002180



Condensing unit 1/4 HP for WD DA SF (distanza ≤ 10 metri)


40200180



Wi-Fi supervising system (overprice)

45000565

INSTALLATION DIAGRAM:



WD5/121