

BRERA

DAIRY

Model: SF5/121

Code: 6002080

H 2100

REFRIGERATED DISPLAY FOR COLD CUTS AND CHEESES: with compact dimensions, refined design, and great reliability, it is perfect for any type of establishment. Capable of preserving the qualities of aged products, it features a single-shell construction in stainless steel with a built-in concealed motor and LED internal lighting, maintaining a temperature of +2/+10°C.

- Construction: stainless steel monocoque
- Internal capacity: 80 kg ~
- Position of technical compartment: retractable, on the bottom
- Refrigeration type: ventilated cooling system
- Control board panel: 2.8" touch control panel, digital display
- "Warm" led light (2700K)
- Defrosting system: by pause
- Evaporation of condensation water: automatic
- Optional equipment: painted color finishing on request
- Not included: internal fittings



















Technical Data:


Doors	nr	1
External dimensions (WxDxH)	cm	81 x 50 x 210
Insulation thickness	mm	50
Standard lock		YES
Standard light		YES
Temperature	°C	+2/+10°C
Condensing unit		plug-in unit
Gas		R290
Noise level	dba	<43dba
Ventilation control		NO
Humidity control		NO
Max abs. power	W	515
Cooling power	W	305
Input voltage		1x230V ~ 50Hz
Climate class		4
Packaging dimensions (WxDxH)	cm	87 x 60 x 226
Volume (gross)	mc	1,18
Gross weight	kg	170

Ambient temp. +26°C / Evap. -10°C, cond. +45°C

ACCESSORIES:

	DR5/01 Stainless steel shelf for DA-SF5/	60002100
	DT5/02 Stainless steel hanging rods for meat/charcuterie with no. 2 s/s tubes and no. 3 s/s hooks for DA-SF5/	60002110
	WPS/5 Stainless steel top cm 81x50x2h	60001150
	Stainless/steel hook for meat/charcuterie	60002120
	Set of retractable castors WD	60002180
	Dimmer regolazione luci WD	60002190
	Color finishing WD DA SF (overprice)	60002200
	Condensing unit 1/4 HP for WD DA SF (distanza ≤ 10 metri)	40200180
	Wi-Fi supervising system (overprice)	45000565
	60Hz frequency	40200560
	FIANCHI IN VETRO	car
	FIANCHI IN VETRO	car
	FIANCHI IN VETRO	car
	FIANCHI IN VETRO	car
	GAS R290	car
	GEMM Cloud	car

INSTALLATION DIAGRAM:



SF5/121